



2052 NW 93 Avenue ~ Miami, Florida 33172 U.S.A.  
 Phone 305-500-9302 ~ Fax 305-500-9402 ~ info@condorD.com

# TRUNKED PORTABLE ACCESSORIES

PRO5350/7350 UHF LTR	PRO5350/7350 800 LTR	PRO5550/7550 800 PP	PRO5450/7450 MPPT	GTX 900 PP / LTR	KIT	DESCRIPTION
<b>Antennas</b>						
	X	X				<b>800/900 MHz</b>
				X		NAF5037 800 MHz 806-870 MHz 1/2 Wavelength Whip (Flex)
				X		NAF5038 900 MHz 1/2 Wavelength Whip Antenna
	X	X		X		NAF5042_R 800 MHz 806-941 MHz 1/4 Wavelength Stubby Antenna
<b>UHF</b>						
X			X			PMAE4002 UHF Stubby Antenna 403-433 MHz
X			X			PMAE4003 UHF Stubby Antenna 438-470MHz
X			X			NAE6483_R UHF Whip Antenna 403-520 MHz
X			X			PMAE4006 UHF Stubby Antenna (9cm) 470-510 MHz
X			X			PMAE4007 UHF Stubby Antenna (9cm) 490-527 MHz
X			X			PMAE4008 UHF Whip Antenna (14cm) 470-530 MHz
<b>Batteries</b>						
X	X	X	X			HNN9008_R Nickel Metal Hydride (NiMH) High Capacity Battery (standard with radio)
X	X	X	X			HNN9009_R Nickel Metal Hydride (NiMH) Ultra High Capacity Battery
X	X	X	X			HNN9012_R Nickel Cadmium (Ni-Cd) High Capacity Battery
X	X	X	X			HNN9013_R Lithium Ion (Li-Ion) High Capacity Battery
X	X	X	X			HNN9010_R Nickel Metal Hydride (NiMH) Ultra High Capacity Battery - Factory Mutual
X	X	X	X			HNN9011_R Nickel Cadmium (Ni-Cd) High Capacity Battery - Factory Mutual
				X		HNN9628 High Capacity Standard Battery
				X		HNN9701 High Capacity Fully Approved Factory Mutual Battery
				X		HNN9808 Medium Capacity Fully Approved Factory Mutual Slim Battery
<b>FACTORY MUTUAL APPROVALS</b>  GTX Privacy Plus and LTR FACTORY MUTUAL APPROVALS HNN9701 (H236) and HNN9808 (H73) are rated as Intrinsically Safe for use in Classes I, II, and III, Division 1, Groups C, D, E, F, & G. Approved for Nonincendive for use in Class I, Division 2, Groups A, B, C, D.  PRO5350, PRO7350, PRO5450, PRO7450, PRO5550 and PRO7550 FACTORY MUTUAL APPROVALS HNN9010 and HNN9011 are rated as Intrinsically safe for use in Classes I, II and III, Division 1, Groups C, D, E, F and G.						
<b>Battery Maintenance System (BMS)</b>						
		X				Six station or Three Station universal BMS adapts to various batteries using interchangeable battery adapters (order separately). Capable of charging and discharging batteries; tracking battery voltage and capacity (mAH).
		X				NDN4005 Battery Maintenance System 3- Station 110V AC, 50/60 Hz
		X				WPLN4079_R Battery Maintenance System 6- Station 110V AC, 50/60 Hz
		X				TDN9432 Battery Adapter, Universal Clip Lead
		X				TDN9435 Adapter, MTX838
		X				TDN9437 Adapter, for HNN9628 Battery
		X				TDN9438 Adapter, for HNN9808 Battery
		X				TDN9527 Adapter, Universal Dip Switch
<b>Vehicular Accessories</b>						
<b>Portable Radio Hangers</b>						
Slides over and hangs from the door panel in a vehicle. The radio's belt clip slides onto the radio hanger allowing convenient, easy mounting. Made of black, powder-coated metal.						
		X				TDN9327 Portable Radio Hanger for Door Panels up to 2 3/4"
		X				TDN9373 Portable Radio Hanger for Door Panels 2 3/4" to 3 1/4"
<b>Battery Eliminator</b>						
Battery Eliminator, slides onto the radio in place of the portable battery, drawing power from the vehicle's battery.						
		X				HKN8036 Battery Eliminator



2052 NW 93 Avenue ~ Miami, Florida 33172 U.S.A.  
 Phone 305-500-9302 ~ Fax 305-500-9402 ~ info@condorD.com

# TRUNKED PORTABLE ACCESSORIES

PRO5350/7350 UHF LTR	PRO5350/7350 800 LTR	PRO5550/7550 800 PP	PRO5450/7450 MPT	GTX 900 PP / LTR	KIT	DESCRIPTION
<b>Chargers</b>						
X	X	X	X		AAHTN3000	120V Rapid Rate 60 Minute Single Unit Charger US 3 prong plug Includes: charger pocket, transformer, spacers & manual
X	X	X	X		AAHTN3001	230V Rapid Rate 60 Minute Single Unit Charger Euro 2 prong plug Includes: charger pocket, transformer, spacers & manual
X	X	X	X		AAHTN3002	230V Rapid Rate 60 Minute Single Unit Charger U.K. 3 prong plug Includes: charger pocket, transformer, spacers & manual
X	X	X	X		HTN3032	230V Rapid Rate Single Unit Charger with Argentina Plug
X	X	X	X		AAHTN3003	120V Multi-Unit Rapid Rate Charger US 3 prong plug. Includes charger, line cords & manual
X	X	X	X		AAHTN3004	230V Multi-Unit Rapid Rate Charger Euro 2 prong plug. Includes charger, line cords & manual
X	X	X	X		AAHTN3005	230V Multi-Unit Rapid Rate Charger U.K. 3 prong plug. Includes charger, line cords & manual
X	X	X	X		HTN3019	230V Multi-Unit Rapid Rate Charger Argentina plug, Includes charger, line cords & manual
				X	HLN9719	1 Hour Vehicular Charger Adapter and Bracket (12 volt-for use with the HTN9167, HTN9168 & HTN9169 Rapid Rate Chargers)
				X	HLN9944	Wall Mounting Bracket for Multi-Unit Charger
				X	HTN9042	120 Volt - IntelliCharge Rapid Rate Charger
				X	HTN9043	220 Volt - IntelliCharge Rapid Rate Charger
				X	HTN9060	120 Volt - IntelliCharge 6 Unit - Multi-Unit Charger
				X	HTN9061	220 Volt - IntelliCharge 6 Unit - Multi-Unit Charger (Euro. Plug)
				X	HTN9063	220 Volt-IntelliCharge Charger Argentina plug
				X	HTN9167	120 Volt - 90 Minute Rapid Rate Charger
				X	HTN9168	220 Volt - 90 Minute Rapid Rate Charger
				X	HTN9702	120 Volt - 10 Hour Single Unit Standard Rate Charger
				X	HTN9804	220 Volt - 10 Hour Single Unit Standard Rate Charger (European Plug)
X	X				NLN7967	Wall Mount Kit for Multi-Unit Charger
<b>Carry Cases &amp; Accessories</b>						
<b>Ultra-High and High Capacity Battery Carry Cases</b>						
<b>(for use with the PRO5350, PRO7350, PRO5550 and PRO7550 radio models)</b>						
X	X	X	X		HLN9665	Standard Leather Case, Belt Loop
X	X	X	X		HLN9676	Standard Leather Case, Swivel
X	X	X	X		HLN9689	Standard Leather Case, DTMF, Belt Loop
X	X	X	X		HLN9694	Standard Leather Case, DTMF, Swivel
<b>Lithium Ion Battery Carry Cases</b>						
<b>(for use with the PRO5350, PRO7350, PRO5550 and PRO7550 radio models)</b>						
X	X	X	X		HLN9652	Standard Leather Case, Belt Loop
X	X	X	X		HLN9670	Standard Leather Case, Swivel
X	X	X	X		HLN9677	Standard Leather Case, DTMF, Belt Loop
X	X	X	X		HLN9690	Standard Leather Case, DTMF, Swivel
X	X	X	X		HLN9701	Nylon Case, Belt Loop (ONLY B version and above compatible with 800 MHz)
				X	1505596Z02	Replacement Strap for HLN6602
				X	HLN6602	Universal Chestpack w/ Radio Holder, Pen Holder & Velcro Secured Pocket
				X	HLN8255	Spring Action 3" Belt Clip, black
				X	HLN9076	Standard Molded Carry Holder with 3" Spring Action Belt Clip, basic model only
				X	HLN9149_R	Swivel Belt Loop Adapter (for use with HLN9428, HLN9429, HLN9431, HLN9720 and HLN9750 Carry Cases)
				X	HLN9421	DTMF Standard Leather Carry Case w/ Swivel
				X	HLN9426	DTMF Leather Carry Case w/ Swivel for Fully Approved FM 1200 maHBattery
				X	HLN9427	DTMF Leather Carry Case w/ Swivel for Fully Approved FM 600 mA Battery
				X	HLN9428	DTMF Standard Leather Carry Case with Belt Loop
				X	HLN9429	DTMF Leather Carry Case w/Belt Loop for Fully Approved FM 1200 mA Battery
				X	HLN9431	DTMF Leather Carry Case w/Belt Loop for Fully Approved FM 600 mA Battery
				X	HLN9724	2 1/2" Belt Clip
				X	TDN1002	Swiveller - includes holster, belt and strap
X	X	X	X		HLN9714	Spring 2 1/2" Belt Clip (standard with PRO5350, PRO7350)
X	X	X	X		HLN9844	Spring 1 1/2" Belt Width Clip (standard with PRO5550, PRO7550)
X	X	X	X		HLN9952	Carry Holder with Belt Clip



2052 NW 93 Avenue ~ Miami, Florida 33172 U.S.A.  
Phone 305-500-9302 ~ Fax 305-500-9402 ~ info@condorD.com

# TRUNKED PORTABLE ACCESSORIES

PRO5350/7350 UHF LTR	PRO5350/7350 800 LTR	PRO5550/7550 800 PP	PRO5450/7450 MPPT	GTX 900 PP / LTR	KIT	DESCRIPTION
<b>Carry Cases &amp; Accessories continued</b>						
X	X				NTN5243_R	Shoulder Strap (for use with all Carry Cases; HLN9149_R is required when used with nylon carry case)
X	X	X	X		RLN4815	Radio PAK™ Fanny Pack with Carry Case
X	X	X	X		4280384H01	Radio PAK™, Replacement retaining strap with snap
X	X	X	X		4280384F89	Radio PAK™, Belt lengthener for RLN4815
<b>Audio Accessories</b>						
X	X	X	X		AAHMN9052	Noise Cancelling Remote Speaker Microphone with manual
X	X	X	X		AAHMN9053	Remote Speaker Noise Cancelling Microphone
X	X				AAPMMN4002	Compact Noise Cancelling Remote Speaker Microphone
X	X				AARMN4017	Ultra-Lightweight Headset with Microphone
X	X		X		AARMN4018	Lightweight Headset with Swivel Boom Microphone & In-Line PTT
X	X		X		AARMN4019	Medium Weight Dual Muff Headset, Over the Head
X	X	X	X		AARMN4020	Heavy Duty Behind the Head Headset with Noise Cancelling Boom Mic & PTT
X	X	X	X		AARMN4021	Earpiece without Volume Control - Beige
X	X	X	X		AARMN4022	Earpiece with Microphone and PTT - Beige
X	X	X	X		AARMN4028	Earpiece without Volume Control - Black
X	X	X	X		AARMN4029	Earpiece with Microphone and PTT - Black
<b>When using the Audio Accessories listed below on PRO5350/7350 AAHLN9716 adaptor is required</b>						
X	X	X	X		AAHLN9716	Audio adapter Kit to support GP300 accessories - REQUIRED for audio accessories
	X				BDN6647	Medium Weight Single Speaker Headset with Swivel Boom Microphone without VOX
X	X				BDN6648	Heavy Duty Headset with Noise Cancelling Boom Microphone
X	X				BDN6720	Flexible Ear Receiver - Earpiece without Volume Control - (Flexible Plastic Earloop and Speaker which rests External to Ear)
X	X				HMN9022	Medium Weight Dual Muff Headset, behind the head
X	X	X			HMN9030	Remote Speaker Microphone with Coil Cord and Clip Back
X	X	X			HMN9752*	Earpiece with Volume Control (plastic Earloop)
X					HMN9787	Lightweight Headset with Swivel Boom Microphone (compatible with Internal VOX)
X	X	X			HMN9754*	2 Piece Surveillance Microphone (plastic Earloop)
<b>When using the Audio Accessories listed below on PRO5350/PRO7350 AAHLN9717 adaptor is required</b>						
X	X	X	X		AAHLN9717	Audio adapter Kit to support 3.5 mm Accessories (HT 1000)
	X				NTN8370	Extreme Noise Earpiece Adapter Kit (for use with HMN9727, HMN9752, HMN9754)
	X				NTN8371	Low Noise Earpiece Adapter Kit (for use with HMN9727, HMN9752, HMN9754)
	X				5080384F72	Replacement Foam Plugs - Pack of 50 (for use with NTN8370)
<b>Surveillance Accessories</b>						
<b>When using the surveillance accessories below with PRO5350/PRO7350 AAHLN9717 adaptor jack is required.</b>						
X	X	X			BDN6664(*)	Beige Earpiece with standard earphone
X	X	X			BDN6665(*)	Beige Earpiece with loud earphone (exceeds OSHA limits)
X	X				BDN6666(*)	Beige Earpiece with volume control
X	X				BDN6667(*)	Beige Earpiece, Mic and PTT combined
X	X				BDN6668(*)	Beige Earpiece, Mic and PTT separate
X	X				BDN6669(*)	Beige Earpiece, Mic & PTT combined w/extra loud earpiece(exceeds OSHA limits)
X	X				BDN6726(*)	Black Earpiece with standard earphone
X	X	X			BDN6727(*)	Black Earpiece with loud earphone (exceeds OSHA limits)
X	X	X			BDN6728(*)	Black Earpiece with volume control
X	X				BDN6729(*)	Black Earpiece, Mic and PTT combined
X	X				BDN6730(*)	Black Earpiece, Mic and PTT separate
X	X				BDN6731(*)	Black Earpiece, Mic & PTT combined w/extra loud earpiece(exceeds OSHA limits)
<b>Ear Microphone System</b>						
An Ear Microphone System is a two-way communications device designed to pick up voice sounds through bone vibrations in the ear canal. A complete system consists of an Ear Microphone and a Radio Interface Module. Pick one of each to complete a system.						
		X			BDN6641(*)	High Noise level Ear Microphone, gray (up to 105 db)
		X			BDN6677(*)	Standard Ear Microphone, black (for noise levels up to 95 db)
		X			BDN6678(*)	Standard Ear Microphone, beige (for noise levels up to 95 db)

(\*)These items are Factory Mutual Approved with Factory Mutual Approved Radios



2052 NW 93 Avenue ~ Miami, Florida 33172 U.S.A.  
Phone 305-500-9302 ~ Fax 305-500-9402 ~ info@condorD.com

# TRUNKED PORTABLE ACCESSORIES

PRO5350/7350 UHF LTR	PRO5350/7350 800 LTR	PRO5550/7550 800 PP	PRO5450/7450 MPT	GTX 900 PP / LTR	KIT	DESCRIPTION
<b>Retrofit Kits/Option Boards</b>						
X	X				HLN9988	PRO5350 Retrofit kit Keypad
X	X		X		AAHLN9725	Voice Storage Option Board (field install only)
X	X				AAHLN9729	DTMF Decode Option Board (field install only)
<b>Miscellaneous Accessories</b>						
X	X	X	X		HLN9820	Dust Cover for accessory connector
<b>Field Programming Equipment &amp; Manuals</b>						
	X	X	X		3080369B71	PC to Rib Cable (IBM XT, 25 Pin)
	X	X	X		3080369B72	PC to Rib Cable (IBM AT, 9 Pin)
				X	6802945C75	GTX 800 Service Manual - Privacy Plus and LTR
				X	6802946C80	User's Guide for GTX Portable 800/900 MHz Privacy Plus (English) includes 6802946C90 Quick Reference Guide 800 MHz Privacy Plus and LTR
				X	6802948C65	User's Guide for GTX Portable 800/900 MHz LTR (English)
				X	6802948C90	Service Manual GTX 900 MHz Privacy Plus and LTR
				X	6802948C70	RSS Manual
				X	6880905Z39	User's Guide for GTX Portable 800/900 MHz Privacy Plus (English/Spanish/Portuguese)
				X	6880905Z41	User's Guide for GTX Portable 800/900 MHz LTR (English/Spanish/Portuguese)
				X	6880906Z60	User's Guide for GTX Basic Portable 800/900 MHz Privacy Plus (English/Spanish/Portuguese)
				X	6880906Z61	User's Guide for GTX Basic Portable 800/900 MHz LTR (English/Spanish/Portuguese)
X	X				6881088C40	PRO5350 User's Guide 800 MHz LTR (English/Spanish/Portuguese)
X	X				6881088C43	PRO7350 User's Guide 800 MHz LTR (English/Spanish/Portuguese)
		X	X		6881088C45	PRO Series Service Manual Level 1 & 2 (Basic) English
		X	X		6881088C47	PRO Series Service Manual Level 1 & 2 (Basic) Spanish
		X	X		6881088C49	PRO Series Service Manual Level 1 & 2 (Basic) Portuguese
		X	X	X*	6881088C46	PRO Series Service Manual Level 3 (Advanced) English
		X	X	X*	6881088C48	PRO Series Service Manual Level 3 (Advanced) Spanish
		X	X	X*	6881088C50	PRO Series Service Manual Level 3 (Advanced) Portuguese
*For MPT Service Manual contact your Authorized Motorola Representative for the latest information regarding the Detailed Service Manual						
		X			HHLN4236	User's Guide PRO5550 (6881093C85)
		X			HHLN4237	User's Guide PRO7550 (6881093C86)
			X		6881088C39	User's Guide PRO5450
			X		6881091C15	User's Guide PRO7450
X	X				AARKN4073	Cloning Cable (Golden Bridge) portable to portable only
X	X	X	X		AARKN4074	Programming/Test Cable (RLN4460B or RLN4460A) Accessing all pins uses RIB RLN4008 and SmartRib RLN1015
X	X	X	X		AARKN4075	Ribless Programming cable - connecting accessory to PC including RIB functionality providing power to radio via PC
X	X				HLN9756	BNC Antenna Adapter
				X	HKN9857	RSS Programming Cable
X	X	X	X		RLN4008	Radio Interface Box
		X	X		RLN4460	Portable/Mobile Test Box
				X	RVN4150	Field Programming Software
X					0180305G54	Shop Battery eliminator cable with RLN4510 (7.5 volt source)
<b>Software (NO further discounts allowed on software)</b>						
<b>Purchase of software includes a 2 year subscription for updates.</b>						
	X				HVN9045	PRO5350/7350 800 MHz LTR Customer Programming Software (CPS), programming cable must be ordered separately
		X			HVN9065	PRO5550/7550 Privacy Plus Customer Programming Software (CPS), programming cable must be ordered separately
			X		HVN9030	PRO5450/7450 MPT UHF Customer Programming Software (CPS), programming cable must be ordered separately
X					H5197	PRO Series Portable and Mobile Customer Programming Software (CPS) Programming Cable must be ordered separately Purchase of software includes a 2 year subscription